

1010-101


A/Microfiche

# FISH & RICHARDSON P.C.

225 Franklin Street  
Boston, Massachusetts  
02110-2804

Telephone  
617 542-5070

Facsimile  
617 542-8906



Frederick P. Fish  
1855-1930

W.K. Richardson  
1859-1951

June 18, 1997

Attorney Docket No.: 06543/008002

## BOX PATENT APPLICATION

Assistant Commissioner of Patents  
Washington, DC 20231

Presented for filing is a new continuation patent application of:

Applicant: ANDREW C. PAYNE, LAWRENCE C. STEWART,  
DAVID J. MACKIE  
Title : NETWORK SALES SYSTEM

Enclosed are the following papers, including all those required for a filing date under 37 CFR §1.53(b):

Pages of Specification	19
Pages of Claims	7
Pages of Abstract	1
Pages of Declaration	2
Sheets of Drawing	25
Microfiche of Appendices A-G	

Under 35 USC §120, this application claims the benefit of prior U.S. application 08/328,133, filed October 24, 1994.

"EXPRESS MAIL" Mailing Label Number EM504581432 US

Date of Deposit June 18, 1997  
I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office To Addressee" with sufficient postage on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Carrie Lee  
Carrie Lee

BOSTON

HOUSTON

NEW YORK

SOUTHERN CALIFORNIA

SILICON VALLEY

TWIN CITIES

WASHINGTON, DC

FISH & RICHARDSON P.C.

June 18, 1997

Page 2


Basic filing fee	770.00
Total claims in excess of 20 times \$22.00	0.00
Independent claims in excess of 3 times \$80.00	240.00
Multiple dependent claims	0.00
Total filing fee:	\$ 1010.00

A check for the filing fee is enclosed. Please charge any other required fees, or apply any credits, to Deposit Account No. 06-1050, referencing the Attorney Docket number shown above.

If this application is found to be INCOMPLETE, or if it appears that a telephone conference would helpfully advance prosecution, please telephone the undersigned at 617/542-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Respectfully submitted,



James E. Mrose  
Reg. No. 33,264

Enclosures

240036.B11

2025 JUN 18 10 10 AM '97

**APPLICATION**  
**FOR**  
**UNITED STATES LETTERS PATENT**

**TITLE:** NETWORK SALES SYSTEM

**APPLICANT:** ANDREW C. PAYNE, LAWRENCE C. STEWART, DAVID J. MACKIE

"EXPRESS MAIL" Mailing Label Number EM 504581432US

Date of Deposit June 15, 1997  
I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office To Addressee" with sufficient postage on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Carmie Lee  
Carmie Lee

NETWORK SALES SYSTEM

Cross Reference To Related Application

5           This is a continuation of U.S. patent application  
serial number 08/328,133, filed October 24, 1994.

Reference to Microfiche Appendices

          Microfiche Appendices A-G are being submitted with  
the present application.

10                   Background of the Invention

          This invention relates to user-interactive network  
sales systems for implementing an open marketplace for goods  
or services over computer networks such as the Internet.

          U.S. Patent Application Serial No. 08/168,519, filed  
15   December 16, 1993 by David K. Gifford and entitled "Digital  
Active Advertising," the entire disclosure of which is  
hereby incorporated herein in its entirety by reference,  
describes a network sales system that includes a plurality  
of buyer computers, a plurality of merchant computers, and a  
20   payment computer. A user at a buyer computer asks to have  
advertisements displayed, and the buyer computer requests  
advertisements from a merchant computer, which sends the  
advertisements to the buyer computer. The user then  
requests purchase of an advertised product, and the buyer  
25   computer sends a purchase message to the merchant computer.  
The merchant computer constructs a payment order that it  
sends to the payment computer, which authorizes the purchase  
and sends an authorization message to the merchant computer.  
When the merchant computer receives the authorization  
30   message it sends the product to the buyer computer.

          The above-mentioned patent application also  
describes an alternative implementation of the network sales  
system in which, when the user requests purchase of an  
advertised product, the buyer computer sends a payment order  
35   directly to the payment computer, which sends an

directly to the payment computer, which sends an authorization message back to the buyer computer that includes an unforgeable certificate that the payment order is valid. The buyer computer then constructs a purchase message that includes the unforgeable certificate and sends it to the merchant computer. When the merchant computer receives the purchase request it sends the product to the buyer computer, based upon the pre-authorized payment order.

#### Summary of the Invention

In one aspect, the invention provides a network-based sales system that includes at least one buyer computer for operation by a user desiring to buy a product, at least one merchant computer, and at least one payment computer. The buyer computer, the merchant computer, and the payment computer are interconnected by a computer network. The buyer computer is programmed to receive a user request for purchasing a product, and to cause a payment message to be sent to the payment computer that comprises a product identifier identifying the product. The payment computer is programmed to receive the payment message, to cause an access message to be created that comprises the product identifier and an access message authenticator based on a cryptographic key, and to cause the access message to be sent to the merchant computer. The merchant computer is programmed to receive the access message, to verify the access message authenticator to ensure that the access message authenticator was created using the cryptographic key, and to cause the product to be sent to the user desiring to buy the product.

The invention provides a simple design architecture for the network sales system that allows the merchant computer to respond to payment orders from the buyer computer without the merchant computer having to communicate

directly with the payment computer to ensure that the user is authorized to purchase the product and without the merchant computer having to store information in a database regarding which buyers are authorized to purchase which products. Rather, when the merchant computer receives an access message from the buyer computer identifying a product to be purchased, the merchant computer need only check the access message to ensure that it was created by the payment computer (thereby establishing for the merchant computer that the buyer is authorized to purchase the product), and then the merchant computer can cause the product to be sent to the buyer computer who has been authorized to purchase the product.

In another aspect, the invention features a network-based sales system that includes at least one buyer computer for operation by a user desiring to buy products, at least one shopping cart computer, and a shopping cart database connected to the shopping cart computer. The buyer computer and the shopping cart computer are interconnected by a computer network. The buyer computer is programmed to receive a plurality of requests from a user to add a plurality of respective products to a shopping cart in the shopping cart database, and, in response to the requests to add the products, to send a plurality of respective shopping cart messages to the shopping cart computer each of which includes a product identifier identifying one of the plurality of products. The shopping cart computer is programmed to receive the plurality of shopping cart messages, to modify the shopping cart in the shopping cart database to reflect the plurality of requests to add the plurality of products to the shopping cart, and to cause a payment message associated with the shopping cart to be created. The buyer computer is programmed to receive a

request from the user to purchase the plurality of products added to the shopping cart and to cause the payment message to be activated to initiate a payment transaction for the plurality of products added to the shopping cart.

5           In another aspect, the invention features a network-based link message system that includes at least one client computer for operation by a client user and at least one server computer for operation by a server user. The client computer and the server computer are interconnected by a  
10   computer network. The client computer is programmed to send an initial link message to the server computer. The server computer is programmed to receive the initial link message from the client computer and to create, based on information contained in the initial link message, a session link  
15   message that encodes a state of interaction between the client computer and the server computer. The session link message includes a session link authenticator, computed by a cryptographic function of the session link contents, for authenticating the session link message. The server  
20   computer is programmed to cause the session link message to be sent to the client computer. The client computer is programmed to cause the session link message to be sent to a computer in the network that is programmed to authenticate the session link message by examining the session link  
25   authenticator and that is programmed to respond to the session link message based on the state of the interaction between the client computer and the server computer.

          In another aspect, the invention features a network-based sales system that includes a merchant database having  
30   a plurality of digital advertisements and a plurality of respective product fulfillment items, at least one creation computer for creating the merchant database, and at least one merchant computer for causing the digital advertisements

to be transmitted to a user and for causing advertised products to be transmitted to the user. The creation computer and the merchant computer are interconnected by a computer network. The creation computer is programmed to create the merchant database, and to transmit the digital advertisements and the product fulfillment items to the merchant computer. The merchant computer is programmed to receive the digital advertisements and product fulfillment items, to receive a request for a digital advertisement from a user, to cause the digital advertisement to be sent to the user, to receive from the user an access message identifying an advertised product, and to cause the product to be sent to the user in accordance with a product fulfillment item corresponding to the product.

In another aspect, the invention features a hypertext statement system that includes a client computer for operation by a client user and one or more server computers for operation by a server user. The client computer and the server computers are interconnected by a computer network. At least one of the server computers is programmed to record purchase transaction records in a database. Each of the purchase transaction records includes a product description. The server computer is programmed to transmit a statement document that includes the purchase transaction records to the client computer. The client computer is programmed to display the product descriptions, to receive a request from the client user to display a product corresponding to a product description displayed by the client computer, and to cause a product hypertext link derived from a purchase transaction record to be activated. At least one of the server computers is programmed to respond to activation of the product hypertext link by causing the product to be sent to the client computer.



In another aspect, the invention features a network payment system that includes at least one buyer computer for operation by a user desiring to buy a product and at least one payment computer for processing payment messages from the buyer computer. The buyer computer and the payment computer are interconnected by a computer network. The buyer computer is programmed to cause a payment message to be sent to the payment computer. The payment message includes a product identifier identifying the product that the user desires to buy. The payment computer is programmed to receive the payment message, to cause an access message to be created to enable the user to access the product, and to record a purchase transaction record in the settlement database. The buyer computer is programmed to cause a request for purchase transaction records to be sent to the payment computer. The payment computer is programmed to receive the request for purchase transaction records and to cause a document derived from the purchase transaction records to be sent to the buyer computer.

#### Brief Description of the Drawings

Fig. 1 is a block diagram of a network sales system in accordance with the present invention.

Fig. 2 (2-A through 2-I) is a flowchart diagram illustrating the operation of a purchase transaction in the network sales system of Fig. 1.

Fig. 3 (3-A through 3-B) is a flowchart diagram illustrating the use of a shopping cart for the purchase of products in connection with the network sales system of Fig. 1.

Fig. 4 (4-A through 4-C) is a flowchart diagram illustrating the operation of a smart statement in the network sales system of Fig. 1.

Fig. 5 is a screen snapshot of an advertising document that the merchant computer sends to the buyer computer in Fig. 2.

5 Fig. 6 is a screen snapshot of a confirmation document that the payment computer sends to the buyer computer in Fig. 2.

Fig. 7 is a screen snapshot of a new account document that the payment computer sends to the buyer computer in Fig. 2.

10 Fig. 8 is a screen snapshot of an account name prompt that the buyer computer creates in Fig. 2.

Fig. 9 is a screen snapshot of a document that the payment computer sends to the buyer computer in Fig. 2 and that provides an option either to repurchase or to use a  
15 previously purchased access.

Fig. 10 is a screen snapshot of a fulfillment document that the merchant computer sends to the buyer computer in Fig. 2.

Fig. 11 is a screen snapshot of a smart statement  
20 document that the payment computer sends to the buyer computer in Fig. 4.

Figs. 12 and 13 are screen snapshots of a transaction detail document that the payment computer sends to the buyer computer in Fig. 4.

25 Fig. 14 is a screen snapshot of a customer service form that the payment computer sends to the buyer computer in Fig. 4.

#### Detailed Description

30 With reference to Fig. 1, a network sales system in accordance with the present invention includes a buyer computer 12 operated by a user desiring to buy a product, a merchant computer 14, which may be operated by a merchant willing to sell products to the buyer or by a manager of the

network sales system, a payment computer 16 typically operated by a manager of the network sales system, and a creation computer 20 typically operated by the merchant. The buyer, merchant, payment, and creation computers are all  
5 inter-connected by a computer network 10 such as the Internet.

Creation computer 20 is programmed to build a "store" of products for the merchant. A printout of a computer program for use in creating such a "store" in  
10 accordance with the present invention is provided as Appendix F.

The products advertised by merchant computer 14 may be, for example, newspaper or newsletter articles available for purchase by buyers. Creation computer 20 creates a  
15 digital advertisement database 18 that stores advertising documents (which may for example be in the form of summaries of newspaper or newsletter articles, accompanied by prices) and product fulfillment items (which may be the products themselves if the products can be transmitted over the  
20 network, or which may be hard goods identifiers if the products are hard goods, i.e., durable products as opposed to information products). Creation computer 20 transmits contents of the advertising document database 18 to merchant computer 14 to enable the merchant computer to cause  
25 advertisements and products to be sent to buyers. Merchant computer 14 maintains advertising documents locally in advertising document database 15. In an alternative embodiment, the creation computer does not have a local digital advertisement database, but instead updates a remote  
30 advertising document database on a merchant computer. These updates can be accomplished using HTML forms or other remote database technologies as is understood by practitioners of the art.

Payment computer 16 has access to a settlement database 22 in which payment computer 16 can record details of purchase transactions. The products may be organized into various "domains" of products, and payment computer 16  
5 can access settlement database 22 to record and retrieve records of purchases of products falling within the various domains. Payment computer 16 also has access to a shopping cart database 21 in which a "shopping cart" of products that a user wishes to purchase can be maintained as the user  
10 shops prior to actual purchase of the contents of the shopping cart.

With reference to Fig. 2, a purchase transaction begins when a user at buyer computer 12 requests advertisements (step 24) and buyer computer 12 accordingly  
15 sends an advertising document URL (universal resource locator) to merchant computer 14 (step 26). The merchant computer fetches an advertising document from the advertising document database (step 28) and sends it to the buyer computer (step 30). An example of an advertising  
20 document is shown in Fig. 5. Details of URLs and how they are used are found in Appendix G.

The user browses through the advertising document and eventually requests a product (step 32). This results in the buyer computer sending payment URL A to the payment  
25 computer (step 34). Payment URL A includes a product identifier that represents the product the user wishes to buy, a domain identifier that represents a domain of products to which the desired product belongs, a payment amount that represents the price of the product, a merchant  
30 computer identifier that represents merchant computer 14, a merchant account identifier that represents the particular merchant account to be credited with the payment amount, a duration time that represents the length of time for which

access to the product is to be granted to the user after completion of the purchase transaction, an expiration time that represents a deadline beyond which this particular payment URL cannot be used, a buyer network address, and a  
5 payment URL authenticator that is a digital signature based on a cryptographic key. The payment URL authenticator is a hash of other information in the payment URL, the hash being defined by a key shared by the merchant and the operator of the payment computer.

10 In an alternative embodiment, step 34 consists of the buyer computer sending a purchase product message to the merchant computer, and the merchant computer provides payment URL A to the buyer computer in response to the purchase product message. In this alternative embodiment,  
15 payment URL A contains the same contents as above. The buyer computer then sends the payment URL A it has received from the merchant computer to the payment computer.

When the payment computer receives the payment URL it verifies whether the payment URL authenticator was  
20 created from the contents of the payment URL using the cryptographic key (step 36). If not, the payment computer sends a document to the buyer computer indicating that access to the network sales system is denied (step 38). Otherwise, the payment computer determines whether the  
25 expiration time has past (step 40). If it has, the payment computer sends a document to the buyer computer indicating that the time has expired (step 41). Otherwise, the payment computer checks the buyer computer network address to see if it matches the one specified in the payment URL (step 42).  
30 If it does not match, the payment computer sends a document to the buyer computer indicating that access to the network payment system is denied (step 43). Otherwise, the payment computer sends a payment confirmation document to the buyer

computer, the payment confirmation document including an "open" link and a "continue" link (step 44).

5 An example of a confirmation document is shown in Fig. 6. The confirmation document asks the user to click on a "continue" button if the user already has an account with the payment computer, or to click on an "open" button if the user does not already have an account and wishes to open one.

10 If the user clicks on the "open" button (step 46), the buyer computer sends payment URL C to the payment computer (step 48), payment URL C being similar to payment URL A but also indicating that the user does not yet have an account. The payment computer creates a new account document (step 50) and sends it to the buyer computer (step 15 52). An example of a new account document is shown in Fig. 7. When the user receives the new account document he enters the new account name, an account password, a credit card number, the credit card expiration date, and security information such as the maiden name of the user's mother 20 (step 54), and presses a "submit" button (not shown in Fig. 7). The buyer computer sends the new account information to the payment computer (step 56), which enters the new account in the settlement database (step 58).

25 If the user clicks on the "continue" button (step 60), the buyer computer sends payment URL B to the payment computer (step 62), payment URL B being similar to payment URL A but also indicating that the user already has an account. The payment computer then instructs the buyer computer to provide the account name and password (steps 64 30 and 66), and the buyer computer prompts the user for this information by creating an account name prompt (example shown in Fig. 8) and a similar password prompt. The user enters the information (step 68) and the buyer computer

sends the account name and password to the payment computer (step 70).

The payment computer verifies whether the user name and password are correct (step 72). If they are not correct, the payment computer sends a document to the buyer computer indicating that access to the network sales system is denied (step 74). Otherwise, the payment computer determines whether additional security is warranted, based on, e.g., whether the payment amount exceeds a threshold (step 73). If additional security is warranted, the payment computer creates a challenge form document and sends it to the buyer computer (step 75). The user enters the security information (step 77), the buyer computer sends the security information to the payment computer (step 79), and the payment computer determines whether the security information is correct (step 81). If it is not correct, the payment computer sends a document to the buyer computer indicating that access to the network sales system is denied (step 83).

If the security information is correct, or if additional security was not warranted, the payment computer checks the settlement database to determine whether the user has unexpired access to the domain identifier contained in the payment URL (step 82). If so, the payment computer sends to the buyer computer a document providing an option either to repurchase or to use the previously purchased access (step 84). An example of such a document is shown in Fig. 9. The user can respond to the recent purchase query document by choosing to access the previously purchased document (step 85) or to go ahead and buy the currently selected product (step 86).

If the user chooses to access the previously purchased document, the buyer computer skips to step 92 (see below). If the user chooses to buy the currently selected



product, the payment computer calculates an actual payment amount that may differ from the payment amount contained in the payment URL (step 87). For example, the purchase of a product in a certain domain may entitle the user to access  
5 other products in the domain for free or for a reduced price for a given period of time.

The payment computer then verifies whether the user account has sufficient funds or credit (step 76). If not, the payment computer sends a document to the buyer computer  
10 indicating that the user account has insufficient funds (step 78). Otherwise, the payment computer creates an access URL (step 80) that includes a merchant computer identifier, a domain identifier, a product identifier, an indication of the end of the duration time for which access  
15 to the product is to be granted, the buyer network address, and an access URL authenticator that is a digital signature based on a cryptographic key. The access URL authenticator is a hash of other information in the access URL, the hash being defined by a key shared by the merchant and the  
20 operator of the payment computer. The payment computer then records the product identifier, the domain, the user account, the merchant account, the end of duration time, and the actual payment amount in the settlement database (step 88).

25 The payment computer then sends a redirect to access URL to the buyer computer (step 90), which sends the access URL to the merchant computer (step 92). The merchant computer verifies whether the access URL authenticator was created from the contents of the access URL using the  
30 cryptographic key (step 94). If not, the merchant computer sends a document to the buyer computer indicating that access to the product is denied (step 96).



Otherwise, the merchant computer verifies whether the duration time for access to the product has expired (step 98). This is done because the buyer computer can request access to a purchased product repeatedly. If the duration time has expired, the merchant computer sends a document to the buyer computer indicating that the time has expired (step 100). Otherwise the merchant computer verifies that the buyer computer network address is the same as the buyer network address in the access URL (step 101), and if so, sends a fulfillment document to the buyer computer (step 102), which is displayed by the buyer computer (step 104). An example of a fulfillment document is shown in Fig. 10. Otherwise, the merchant computer sends a document to the buyer computer indicating that access is not allowed (step 103).

With reference now to Fig. 3, when the merchant computer sends the advertising document to the buyer computer, the user may request that a product be added to a shopping cart in the shopping cart database rather than request that the product be purchased immediately. The buyer computer sends a shopping cart URL to the payment computer (step 108), the shopping cart URL including a product identifier, a domain identifier, a payment amount, a merchant computer identifier, a merchant account identifier, a duration time, an expiration time, and a shopping cart URL authenticator that is a digital signature based on a cryptographic key. The shopping cart URL authenticator is a hash of other information in the shopping cart URL, the hash being defined by a key shared by the merchant and the operator of the payment computer.

The payment computer verifies whether the shopping cart URL authenticator was created from the contents of the shopping cart URL using a cryptographic key (step 110). If

not, the payment computer sends a document to the buyer computer indicating that access to the network sales system is denied (step 112). Otherwise, before any modification to a user's shopping cart is allowed, user authentication is performed (step 113) in a manner analogous to steps 40-81. Once the user is authenticated, the payment computer creates or updates a payment URL for the shopping cart (step 114).

The user then either requests more advertisements (step 24 in Fig. 2) and possibly adds another product to the shopping cart, requests display of the shopping cart (step 116), or requests purchase of the entire contents of the shopping cart (step 124). If the user requests display of the shopping cart (step 116), the buyer computer sends a fetch shopping cart request to the payment computer (step 118), and the payment computer and buyer computer (step 119) perform steps analogous to steps 64-81. The payment computer returns the contents of the shopping cart to the buyer computer (step 120), which displays the contents of the shopping cart (step 122). If the user requests that the entire contents of the shopping cart be purchased (step 124) the buyer computer causes the payment URL for the shopping cart to be activated (step 126) and the payment URL is processed in a manner analogous to the processing of payment URLs for individual products (beginning with step 36 in Fig. 2).

With reference now to Fig. 4, a user can request display of a "smart statement" that lists purchase transactions for a given month (step 128). When the buyer computer receives such a request, it sends a smart statement URL to the payment computer (step 130).

When the payment computer receives the smart statement URL, it verifies whether the smart statement URL authenticator was created from the contents of the smart

statement URL using a cryptographic key (step 132). If not, the payment computer sends a document to the buyer computer indicating that access is denied (step 134). Otherwise, the payment computer checks to determine whether the buyer  
5 network address in the smart statement URL matches the buyer computer's actual network address (step 136). If not, the payment computer sends a document to the buyer computer indicating that access is denied (step 138). Otherwise (step 140), the payment computer and buyer computer perform  
10 a set of steps analogous to steps 64-81 in Fig. 2 (payment computer requests account name and password, user provides the requested information, and payment computer verifies the information).

In an alternative embodiment steps 132-138 are  
15 omitted.

After verification of account information is complete, the payment computer retrieves the requested settlement data from the settlement database, creates a smart statement document for the buyer, and sends the smart  
20 statement document to the buyer computer (step 142). An example of a smart statement document is shown in Fig. 11. Each purchase transaction record in the smart statement document includes the data of the transaction, the name of the merchant, an identification of the product, and the  
25 payment amount for the product. The smart statement document also includes a transaction detail URL for each purchase transaction (these URLs, or hypertext links, are discussed below and are not shown in Fig. 11). The smart statement document also identifies previous statements that  
30 the user may wish to have displayed.

The buyer computer displays the retrieved document (step 144), and the user may request transaction details for a particular transaction listed on the smart statement (step

146). If so, the buyer computer sends a transaction detail URL (or "payment detail URL") to the payment computer (step 148). The transaction detail URL includes a transaction identifier, a buyer network address, and a transaction detail URL authenticator. When the payment computer receives the transaction detail URL, it performs (step 150) a set of steps analogous to steps 132-140 (verification of URL authenticator, buyer network address, and account information). The payment computer then retrieves from the settlement database data corresponding to the payment transaction specified in the transaction detail URL, creates a transaction detail document, and sends it to the buyer computer (step 152).

An example of a transaction detail document is shown in Figs. 12 and 13. The document displays a number of items of information about the transaction, including the transaction date, end of the duration time ("expiration"), a description of the product, the payment amount, the domain corresponding to the product, an identification of the merchant, and the merchant's address.

The smart statement document and the transaction detail document both include customer service URLs (hypertext links) that allow the user to request customer service (i.e., to send comments and suggestions to the payment computer). When the user requests customer service (step 154), the buyer computer sends the customer service URL to the payment computer (step 156), which creates a customer service form and sends it to the buyer computer (step 158). An example of a customer service form is shown in Fig. 14. The user types comments into the customer service form (step 160), and the buyer computer sends the user's comments to the payment computer (step 162). The

payment computer then posts the user comments and sends a thank you document to the buyer computer (step 164).

5 A user may request display of a product included in the smart statement. When the user requests that the product be displayed (step 166), the buyer computer sends the access URL contained in the smart statement document to the merchant computer (step 168), and the buyer computer and merchant computer perform a set of steps analogous to steps 94-104 in Fig. 2 (authentication of access URL, verification  
10 whether duration time has expired, verification of buyer network address, and transmission of fulfillment document to buyer computer).

Whenever the present application states that one computer sends a URL to another computer, it should be  
15 understood that in preferred embodiments the URL is sent in a standard HTTP request message, unless a URL message is specified as a redirection in the present application. The request message includes components of the URI as described by the standard HTTP protocol definition. These URL  
20 components in the request message allow the server to provide a response appropriate to the URL. The term "URL" as used the present application is an example of a "link," which is a pointer to another document or form (including multimedia documents, hypertext documents including other  
25 links, or audio/video documents).

When the present application states that one computer sends a document to another computer, it should be understood that in preferred embodiments the document is a success HTTP response message with the document in the body  
30 of the message. When the present application states that a server sends an account name and password request message to the client, it should be understood that in preferred embodiments the account name and password request message is

an unauthorized HTTP response. A client computer sends account name and password information to a server as part of a request message with an authorization field.

5 The software architecture underlying the particular preferred embodiment is based upon the hypertext conventions of the World Wide Web. Appendix A describes the Hypertext Markup Language (HTML) document format used to represent digital advertisements, Appendix B describes the HTML forms fill out support in Mosaic 2.0, Appendix C is a description  
10 of the Hypertext Transfer Protocol (HTTP) between buyer and merchant computers, Appendix D describes how documents are named with Uniform Resource Locators (URLs) in the network of computers, and Appendix E describes the authentication of URLs using digital signatures.

15 A printout of a computer program for use in creating and operating such a "store" in accordance with the present invention is provided as Appendix F. A printout of a computer program for use in operating other aspects of the network sales system in accordance with the present  
20 invention is provided in Appendix G.

There has been described a new and useful network-based sales system. It is apparent that those skilled in the art may make numerous modifications and departures from the specific embodiments described herein without departing  
25 from the spirit and scope of the claimed invention.

What is claimed is:

1           1. A network-based sales system, comprising:  
2           a merchant database comprising a plurality of  
3           digital advertisements and a plurality of respective product  
4           fulfillment items;  
5           at least one creation computer for creating said  
6           merchant database; and  
7           at least one merchant computer for causing said  
8           digital advertisements to be transmitted to a user and for  
9           causing advertised products to be transmitted to said user;  
10          said creation computer and said merchant computer  
11          being interconnected by a computer network;  
12          said creation computer being programmed to create  
13          said merchant database, and to transmit said digital  
14          advertisements and said product fulfillment items to said  
15          merchant computer;  
16          said merchant computer being programmed to receive  
17          said digital advertisements and product fulfillment items,  
18          to receive a request for a digital advertisement from a  
19          user, to cause said digital advertisement to be sent to said  
20          user, to receive from said user an access message  
21          identifying an advertised product, and to cause said product  
22          to be sent to said user in accordance with a product  
23          fulfillment item corresponding to said product.

1           2. A network-based sales system in accordance with  
2           claim 1, wherein each of said digital advertisements  
3           comprises an abstract of a product and a price.

1           3. A network-based sales system in accordance with  
2           claim 2, wherein:  
3           at least one of said product fulfillment items  
4           comprises a product itself; and



5           said creation computer is programmed to transmit  
6   said product to said merchant computer with said digital  
7   advertisements.

1           4. A network-based sales system in accordance with  
2   claim 2, wherein:

3           at least one of said product fulfillment items  
4   comprises a hard good identifier; and

5           said creation computer is programmed to transmit  
6   said hard good identifier to said merchant computer with  
7   said digital advertisements.

1           5. A method of operating a merchant computer in a  
2   network-based sales system comprising a merchant database  
3   that comprises a plurality of digital advertisements and a  
4   plurality of respective product fulfillment items, at least  
5   one creation computer for creating said merchant database,  
6   and at least one merchant computer for causing said digital  
7   advertisements to be transmitted to a user and for causing  
8   advertised products to be transmitted to said user, said  
9   creation computer and said merchant computer being  
10   interconnected by a computer network, said method comprising  
11   the steps of:

12           receiving, at said merchant computer, said digital  
13   advertisements and said product fulfillment items, said  
14   digital advertisements and said product fulfillment items  
15   having been transmitted to said merchant computer by said  
16   creation computer, said merchant database comprising said  
17   digital advertisements and said product fulfillment items  
18   having been created by said creation computer;

19           receiving a request for a digital advertisement from  
20   a user;



21 causing said digital advertisement to be sent to  
22 said user;  
23 receiving from said user an access message  
24 identifying an advertised product; and  
25 causing said product to be sent to said user in  
26 accordance with a product fulfillment item corresponding to  
27 said product.

1 6. A hypertext statement system, comprising:  
2 a client computer for operation by a client user;  
3 and  
4 one or more server computers for operation by a  
5 server user;  
6 said client computer and said server computers being  
7 interconnected by a computer network;  
8 at least one of said server computers being  
9 programmed to record purchase transaction records in a  
10 database, each of said purchase transaction records  
11 comprising a product description, and to transmit a  
12 statement document comprising said purchase transaction  
13 records to said client computer;  
14 said client computer being programmed to display  
15 said product descriptions, to receive a request from said  
16 client user to display a product corresponding to a product  
17 description displayed by said client computer, and to cause  
18 a product hypertext link derived from a purchase transaction  
19 record to be activated;  
20 at least one of said server computers being  
21 programmed to respond to activation of said product  
22 hypertext link by causing said product to be sent to said  
23 client computer.

1           7. A hypertext statement system in accordance with  
2 claim 6, wherein:

3           said client computer is programmed to receive a  
4 request from said client user to display transaction details  
5 corresponding to a product description displayed by said  
6 client computer and to cause a transaction detail hypertext  
7 link corresponding to said product description to be  
8 activated; and

9           said server computer is programmed to respond to  
10 activation of said transaction detail hypertext link by  
11 transmitting said transaction details to said client  
12 computer as a transaction detail document.

1           8. A hypertext statement system in accordance with  
2 claim 7, wherein:

3           said transaction detail document further comprises a  
4 customer service form hypertext link;

5           said client computer is programmed to receive a  
6 request from said client user to display a customer service  
7 form and to cause said customer service form hypertext link  
8 to be activated; and

9           said server computer is programmed to respond to  
10 activation of said customer service form hypertext link by  
11 transmitting said customer service form to said client  
12 computer.

1           9. A hypertext statement system in accordance with  
2 claim 6, wherein:

3           said statement document further comprises a customer  
4 service form hypertext link;

5           said client computer is programmed to receive a  
6 request from said client user to display a customer service

7 form and to cause said customer service form hypertext link  
8 to be activated; and

9 said server computer is programmed to respond to  
10 activation of said customer service form hypertext link by  
11 transmitting said customer service form to said client  
12 computer.

1 10. A method of operating a server computer in a  
2 hypertext statement system comprising a client computer for  
3 operation by a client user, and one or more server computers  
4 for operation by a server user, said client computer and  
5 said server computers being interconnected by a computer  
6 network, said method comprising the steps of:

7 recording, at one of said server computers, purchase  
8 transaction records in a database, each of said purchase  
9 transaction records comprising a product description; and

10 transmitting a statement document comprising said  
11 purchase transaction records to said client computer;

12 said client computer being programmed to display  
13 said product descriptions, to receive a request from said  
14 client user to display a product corresponding to a product  
15 description displayed by said client computer, and to cause  
16 a product hypertext link derived from a purchase transaction  
17 record to be activated;

18 at least one of said server computers being  
19 programmed to respond to activation of said product  
20 hypertext link by causing said product to be sent to said  
21 client computer.

1 11. A network payment system, comprising:

2 at least one buyer computer for operation by a user  
3 desiring to buy a product; and

4 at least one payment computer for processing payment  
5 messages from said buyer computer;

6 said buyer computer and said payment computer being  
7 interconnected by a computer network;

8 said buyer computer being programmed to cause a  
9 payment message to be sent to said payment computer, said  
10 payment message comprising a product identifier identifying  
11 said product that said user desires to buy;

12 said payment computer being programmed to receive  
13 said payment message, to cause an access message to be  
14 created to enable said user to access said product, and to  
15 record a purchase transaction record in said settlement  
16 database;

17 said buyer computer being programmed to cause a  
18 request for purchase transaction records to be sent to said  
19 payment computer; and

20 said payment computer being programmed to receive  
21 said request for purchase transaction records and to cause a  
22 document derived from said purchase transaction records to  
23 be sent to said buyer computer.

1 12. A method of operating a payment computer in a  
2 network payment system comprising at least one buyer  
3 computer for operation by a user desiring to buy a product,  
4 and at least one payment computer for processing payment  
5 messages from said buyer computer, said method comprising  
6 the steps of:

7 receiving, at said payment computer, a payment  
8 message that said buyer computer has caused to be sent to  
9 said payment computer, said payment message comprising a  
10 product identifier identifying said product that said user  
11 desires to buy;

12 causing an access message to be created to enable  
13 said user to access said product;  
14 recording a purchase transaction record in said  
15 settlement database;  
16 receiving a request for purchase transaction records  
17 that said buyer computer has caused to be sent to said  
18 payment computer; and  
19 causing a document derived from said purchase  
20 transaction records to be sent to said buyer computer.

## NETWORK SALES SYSTEM

### Abstract of the Disclosure

A network-based sales system includes at least one buyer computer for operation by a user desiring to buy a product, at least one merchant computer, and at least one payment computer. The buyer computer, the merchant computer, and the payment computer are interconnected by a computer network. The buyer computer is programmed to receive a user request for purchasing a product, and to cause a payment message to be sent to the payment computer that comprises a product identifier identifying the product. The payment computer is programmed to receive the payment message, to cause an access message to be created that comprises the product identifier and an access message authenticator based on a cryptographic key, and to cause the access message to be sent to the merchant computer. The merchant computer is programmed to receive the access message, to verify the access message authenticator to ensure that the access message authenticator was created using the cryptographic key, and to cause the product to be sent to the user desiring to buy the product.

209259.B11





FIG. 1




**FIG. 2A**



buyer computer 12

merchant computer 14

payment computer 16



**FIG. 2B**

buyer computer 12

merchant computer 14

payment computer 16





FIG. 2C

payment computer 16




**FIG. 2D**

buyer computer 12

merchant computer 14

payment computer 16



**FIG. 2E**

buyer computer 12

merchant computer 14

payment computer 16




FIG. 2F

buyer computer 12

merchant computer 14

payment computer 16






FIG. 2G

表 1 各主要指标与评价结果	
1. 主要指标	评价结果
1.1 经济效益	良好
1.2 社会效益	良好
1.3 环境效益	良好
1.4 社会效益	良好
1.5 社会效益	良好
1.6 社会效益	良好
1.7 社会效益	良好
1.8 社会效益	良好
1.9 社会效益	良好
1.10 社会效益	良好
1.11 社会效益	良好
1.12 社会效益	良好
1.13 社会效益	良好
1.14 社会效益	良好
1.15 社会效益	良好
1.16 社会效益	良好
1.17 社会效益	良好
1.18 社会效益	良好
1.19 社会效益	良好
1.20 社会效益	良好
1.21 社会效益	良好
1.22 社会效益	良好
1.23 社会效益	良好
1.24 社会效益	良好
1.25 社会效益	良好
1.26 社会效益	良好
1.27 社会效益	良好
1.28 社会效益	良好
1.29 社会效益	良好
1.30 社会效益	良好
1.31 社会效益	良好
1.32 社会效益	良好
1.33 社会效益	良好
1.34 社会效益	良好
1.35 社会效益	良好
1.36 社会效益	良好
1.37 社会效益	良好
1.38 社会效益	良好
1.39 社会效益	良好
1.40 社会效益	良好
1.41 社会效益	良好
1.42 社会效益	良好
1.43 社会效益	良好
1.44 社会效益	良好
1.45 社会效益	良好
1.46 社会效益	良好
1.47 社会效益	良好
1.48 社会效益	良好
1.49 社会效益	良好
1.50 社会效益	良好
1.51 社会效益	良好
1.52 社会效益	良好
1.53 社会效益	良好
1.54 社会效益	良好
1.55 社会效益	良好
1.56 社会效益	良好
1.57 社会效益	良好
1.58 社会效益	良好
1.59 社会效益	良好
1.60 社会效益	良好
1.61 社会效益	良好
1.62 社会效益	良好
1.63 社会效益	良好
1.64 社会效益	良好
1.65 社会效益	良好
1.66 社会效益	良好
1.67 社会效益	良好
1.68 社会效益	良好
1.69 社会效益	良好
1.70 社会效益	良好
1.71 社会效益	良好
1.72 社会效益	良好
1.73 社会效益	良好
1.74 社会效益	良好
1.75 社会效益	良好
1.76 社会效益	良好
1.77 社会效益	良好
1.78 社会效益	良好
1.79 社会效益	良好
1.80 社会效益	良好
1.81 社会效益	良好
1.82 社会效益	良好
1.83 社会效益	良好
1.84 社会效益	良好
1.85 社会效益	良好
1.86 社会效益	良好
1.87 社会效益	良好
1.88 社会效益	良好
1.89 社会效益	良好
1.90 社会效益	良好
1.91 社会效益	良好
1.92 社会效益	良好
1.93 社会效益	良好
1.94 社会效益	良好
1.95 社会效益	良好
1.96 社会效益	良好
1.97 社会效益	良好
1.98 社会效益	良好
1.99 社会效益	良好
1.100 社会效益	良好





**FIG. 21**



表 1 2007 年 12 月 31 日	
項目	金額
現金及現金等價物	1,000,000
應收賬款	500,000
應付賬款	200,000
其他應收款	100,000
其他應付款	50,000
總計	1,850,000


表 2 2008 年 1 月 1 日	
項目	金額
現金及現金等價物	1,200,000
應收賬款	600,000
應付賬款	300,000
其他應收款	150,000
其他應付款	100,000
總計	2,350,000


  

表 3 2008 年 2 月 1 日	
項目	金額
現金及現金等價物	1,500,000
應收賬款	700,000
應付賬款	400,000
其他應收款	200,000
其他應付款	150,000
總計	2,950,000


  

表 4 2008 年 3 月 1 日	
項目	金額
現金及現金等價物	1,800,000
應收賬款	800,000
應付賬款	500,000
其他應收款	250,000
其他應付款	200,000
總計	3,550,000






**FIG. 3B**



**FIG. 4B**



**FIG. 4C**

buyer computer 12

merchant computer 14

payment computer 16




FIG. 4A





FIG. 5

<u>File</u> <u>Options</u> <u>Navigate</u> <u>Annotate</u> <u>Help</u>	
Document Title:	Open Market Payment
Document URL:	http://payment.openmarket.com/ben/nph-payment
	
<h2>Open Market Payment</h2>	
You have selected an item that requires payment	
<b>Merchant:</b> Test Merchant <b>Description:</b> Mead Data Central Article <b>Amount:</b> 2.85(US currency)	
If you have an Open Market account click on "continue" below and you will be prompted for your account name and password. If you do not have an account, you can establish one on-line and return to this page to continue your purchase.	
<input type="button" value="Open"/>	an account on-line
<input type="button" value="Continue"/>	with payment transaction.
<b>NOTE:</b> For demonstrations use the account name <b>testuser@openmarket.com</b> with the password <b>testuser</b> .	
<hr/>	
Open Market, Inc.	
Data transfer complete:	
<input type="button" value="Back"/> <input type="button" value="Forward"/> <input type="button" value="Home"/> <input type="button" value="Reload"/> <input type="button" value="Open..."/> <input type="button" value="Save As..."/> <input type="button" value="Clone"/> <input type="button" value="New Window"/> <input type="button" value="Close Window"/>	

**FIG. 6**

File   Options   Navigate   Annotate   Help

Document Title: Establish OpenMarket Account

Document URL: http://payment.openmarket.com/service/destabli.

Card Number:

Expiration Date:  (format MM/YY)

Check the appropriate boxes:

☐ I am the owner of the above credit card.

☐ The above address is also the billing address for this credit card.

Your OpenMarket account statement is available on-line. At your option you may a copy of your statement automatically sent to your e-mail address at weekly or monthly intervals. Please choose a statement option.

☐ Weekly statements   ☐ Monthly statements   ☐ No e-mail statements

---

**Account name and password**

Please choose an account name and password for your OpenMarket account. We suggest using an account name that is unique and easy to remember such as your e-mail address. Your password should be 8 characters or longer.

Account Name

Password

Back Forward Home Reload Open... Save As... Clone New Window Close Window

FIG. 7



Document is protected.  
Enter username for Open Market Account at payment.openmarket.com:

OK

Cancel

FIG. 8






FIG. 10





FIG. 11

File   Options   Navigate   Annotate   Help

Document Title:

Document URL:



### Smart Statement Detail

This is the detailed information about a particular transaction from your Smart Statement

#### Transaction Information

url: http://www.openmarket.com/demos/aug15/mall/mead-fingerprint/mkarticle.cgo  
transaction\_log\_id: 50254.0  
currency: US  
transaction\_date: 781377633  
initiator: 1.0  
expiration: 2592000  
description: Mead Data Central Article  
amount: 2.95  
beneficiary: 3.0  
ip\_address: 199.170.183.13  
transaction\_type.p  
domain: mead.internet-1

#### Merchant Information

telephone: 617-621-9501  
address\_1: Open Market, Inc.  
address\_2: 215 First Street  
fax: 617-621-1703  
address\_3: Cambridge, MA  
email: testmerchant@openmarket.com  
principal\_name: Test Merchant

FIG. 12




FIG. 13



COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled, the specification of which

☒ is attached hereto.

☐ was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_.

☐ was described and claimed in PCT International Application No. \_\_\_\_\_  
filed on \_\_\_\_\_ and as amended under PCT Article 19 on \_\_\_\_\_.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose all information I know to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. SERIAL NO.	FILING DATE	STATUS
<u>08/328,133</u>	<u>October 24, 1994</u>	<input checked="" type="checkbox"/> Pending <input type="checkbox"/> Issued <input type="checkbox"/> Abandoned

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Gary A. Walpert, Reg. No. 26,098; James E. Mrose, Reg. No. 33,264; Timothy A. French, Reg. No. 30,175; John N. Williams, Reg. No. 18,948; Charles C. Winchester, Reg. No. 21,040.

Address all telephone calls to Gary A. Walpert at telephone number 617/542-5070.

Address all correspondence to Gary A. Walpert, Fish & Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name of Inventor: Andrew C. Payne

Inventor's Signature:  Date: 4/30/17

Residence Address: 5 Lewis Street, Lincoln, Massachusetts 01773

Citizen of: U.S.A.



## COMBINED DECLARATION AND POWER OF ATTORNEY CONTINUED

Post Office Address: 5 Lewis Street, Lincoln, Massachusetts 01773

Full Name of Inventor: Lawrence C. Stewart


Inventor's Signature:  Date: 4/30/97

Residence Address: One Arborwood Drive, Burlington, Massachusetts 01803

Citizen of: U.S.A.

Post Office Address: One Arborwood Drive, Burlington, Massachusetts 01803

Full Name of Inventor: David J. Mackie

Inventor's Signature:  Date: 5/10/97

Residence Address: 936 River Road, Brookdale, California 95007

Citizen of: U.S.A.

Post Office Address: 936 River Road, Brookdale, California 95007